


Manufacturing a Better Work Environment



Moorfeed
A Division of EAS





Located minutes from downtown Indianapolis, with easy access to several major interstate systems, Moorfeed Corporation is situated in the heart of Indiana. We invite you to visit our facilities and meet with our staff. We will be glad to discuss your requirements and recommend a plan at no obligation.

MOORFEED VIBRATORY DRIVES


**AVAILABLE IN SIZES FROM
3 INCH TO 54 INCH**

CW OR CCW ROTATION


120 VAC OR 220 VAC

OPTIONS AVAILABLE:


- **ADJUSTABLE HEIGHT MOUNTING FEET**
- **RING MOUNT IN PLACE OF TOE CLAMPS**




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
309000	3.00"	CW	120 VAC	1	4	120	3.00"	3.00"	4.39"	4.3 LBS
309001	3.00"	CCW	120 VAC	1	4	120	3.00"	3.00"	4.39"	4.3 LBS
319000	3.00"	CW	220 VAC	1	4	120	3.00"	3.00"	4.39"	4.3 LBS
319001	3.00"	CCW	220 VAC	1	4	120	3.00"	3.00"	4.39"	4.3 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
70401	4.50"	CW	120 VAC	2	4	120	5.25"	6.50"	5.25"	14 LBS
70402	4.50"	CCW	120 VAC	2	4	120	5.25"	6.50"	5.25"	14 LBS
70403	4.50"	CW	220 VAC	2	4	120	5.25"	6.50"	5.25"	14 LBS
70404	4.50"	CCW	220 VAC	2	4	120	5.25"	6.50"	5.25"	14 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
70603	6.00"	CW	120 VAC	2	4	120	7.00"	7.88"	5.50"	23 LBS
70604	6.00"	CCW	120 VAC	2	4	120	7.00"	7.88"	5.50"	23 LBS
70605	6.00"	CW	220 VAC	2	4	120	7.00"	7.88"	5.50"	23 LBS
70606	6.00"	CCW	220 VAC	2	4	120	7.00"	7.88"	5.50"	23 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
70801	8.00"	CW	120 VAC	2	4	120	9.13"	9.00"	8.00"	59 LBS
70802	8.00"	CCW	120 VAC	2	4	120	9.13"	9.00"	8.00"	59 LBS
70803	8.00"	CW	220 VAC	2	4	120	9.13"	9.00"	8.00"	59 LBS
70804	8.00"	CCW	220 VAC	2	4	120	9.13"	9.00"	8.00"	59 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
71003	10.00"	CW	120 VAC	2	4	120	13.50"	11.25"	9.89"	48 LBS
71004	10.00"	CCW	120 VAC	2	4	120	13.50"	11.25"	9.89"	48 LBS
71005	10.00"	CW	220 VAC	2	4	120	13.50"	11.25"	9.89"	48 LBS
71006	10.00"	CCW	220 VAC	2	4	120	13.50"	11.25"	9.89"	48 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
71203	12.00"	CW	120 VAC	2	4	120	13.50"	11.25"	9.89"	51 LBS
71204	12.00"	CCW	120 VAC	2	4	120	13.50"	11.25"	9.89"	51 LBS
71205	12.00"	CW	220 VAC	2	4	120	13.50"	11.25"	9.89"	51 LBS
71206	12.00"	CCW	220 VAC	2	4	120	13.50"	11.25"	9.89"	51 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
71503	15.00"	CW	120 VAC	2	4	120	14.00"	12.00"	10.15"	165 LBS
71504	15.00"	CCW	120 VAC	2	4	120	14.00"	12.00"	10.15"	165 LBS
71505	15.00"	CW	220 VAC	2	4	120	14.00"	12.00"	10.15"	165 LBS
71506	15.00"	CCW	220 VAC	2	4	120	14.00"	12.00"	10.15"	165 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
71803	18"	CW	120 VAC	2	4	120	16.00"	17.75"	10.12"	209 LBS
71804	18"	CCW	120 VAC	2	4	120	16.00"	17.75"	10.12"	209 LBS
71805	18"	CW	220 VAC	2	4	120	16.00"	17.75"	10.12"	209 LBS
71806	18"	CCW	220 VAC	2	4	120	16.00"	17.75"	10.12"	209 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
72127	21.00"	CW	120 VAC	2	4	120	21.00"	23.25"	11.37"	362 LBS
72128	21.00"	CCW	120 VAC	2	4	120	21.00"	23.25"	11.37"	362 LBS
72132	21.00"	CW	220 VAC	2	4	120	21.00"	23.25"	11.37"	362 LBS
72134	21.00"	CCW	220 VAC	2	4	120	21.00"	23.25"	11.37"	362 LBS
72166	21.00"	CW	120 VAC	2	4	60	21.00"	23.25"	11.37"	362 LBS
72167	21.00"	CCW	120 VAC	2	4	60	21.00"	23.25"	11.37"	362 LBS
72168	21.00"	CW	220 VAC	2	4	60	21.00"	23.25"	11.37"	362 LBS
72169	21.00"	CCW	220 VAC	2	4	60	21.00"	23.25"	11.37"	362 LBS
72139	21.00"	CW	120 VAC	2	6	120	21.00"	23.25"	11.37"	403 LBS
72141	21.00"	CCW	120 VAC	2	6	120	21.00"	23.25"	11.37"	403 LBS
72142	21.00"	CW	220 VAC	2	6	120	21.00"	23.25"	11.37"	403 LBS
7214	21.00"	CCW	220 VAC	2	6	120	21.00"	23.25"	11.37"	403 LBS
72187	21.00"	CW	120 VAC	2	6	60	21.00"	23.25"	11.37"	403 LBS
72188	21.00"	CCW	120 VAC	2	6	60	21.00"	23.25"	11.37"	403 LBS
72190	21.00"	CW	220 VAC	2	6	60	21.00"	23.25"	11.37"	403 LBS
72195	21.00"	CCW	220 VAC	2	6	60	21.00"	23.25"	11.37"	403 LBS




PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
72413	24.00"	CW	120 VAC	2	4	120	24.00"	26.25"	11.37"	438 LBS
72414	24.00"	CCW	120 VAC	2	4	120	24.00"	26.25"	11.37"	438 LBS
72415	24.00"	CW	220 VAC	2	4	120	24.00"	26.25"	11.37"	438 LBS
72416	24.00"	CCW	220 VAC	2	4	120	24.00"	26.25"	11.37"	438 LBS
72427	24.00"	CW	120 VAC	2	4	60	24.00"	26.25"	11.37"	438 LBS
72428	24.00"	CCW	120 VAC	2	4	60	24.00"	26.25"	11.37"	438 LBS
72429	24.00"	CW	220 VAC	2	4	60	24.00"	26.25"	11.37"	438 LBS
72430	24.00"	CCW	220 VAC	2	4	60	24.00"	26.25"	11.37"	438 LBS
72439	24.00"	CW	120 VAC	2	6	120	24.00"	26.25"	11.37"	482 LBS
72440	24.00"	CCW	120 VAC	2	6	120	24.00"	26.25"	11.37"	482 LBS
72441	24.00"	CW	220 VAC	2	6	120	24.00"	26.25"	11.37"	482 LBS
72442	24.00"	CCW	220 VAC	2	6	120	24.00"	26.25"	11.37"	482 LBS
72447	24.00"	CW	120 VAC	2	6	60	24.00"	26.25"	11.37"	482 LBS
72448	24.00"	CCW	120 VAC	2	6	60	24.00"	26.25"	11.37"	482 LBS
72449	24.00"	CW	220 VAC	2	6	60	24.00"	26.25"	11.37"	482 LBS
72450	24.00"	CCW	220 VAC	2	6	60	24.00"	26.25"	11.37"	482 LBS



PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
72735	27.00"	CW	120 VAC	2	6	60	30.00"	32.12"	12.12"	600 LBS
72736	27.00"	CCW	120 VAC	2	6	60	30.00"	32.12"	12.12"	600 LBS
72737	27.00"	CW	220 VAC	2	6	60	30.00"	32.12"	12.12"	600 LBS
72738	27.00"	CCW	220 VAC	2	6	60	30.00"	32.12"	12.12"	600 LBS



PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
73035	30.00"	CW	120 VAC	2	6	60	30.00"	32.12"	12.12"	656 LBS
73036	30.00"	CCW	120 VAC	2	6	60	30.00"	32.12"	12.12"	656 LBS
73037	30.00"	CW	220 VAC	2	6	60	30.00"	32.12"	12.12"	656 LBS
73038	30.00"	CCW	220 VAC	2	6	60	30.00"	32.12"	12.12"	656 LBS
73043	30.00"	CW	120 VAC	2	8	60	30.00"	32.12"	12.12"	698 LBS
73044	30.00"	CCW	120 VAC	2	8	60	30.00"	32.12"	12.12"	698 LBS
73045	30.00"	CW	220 VAC	2	8	60	30.00"	32.12"	12.12"	698 LBS
73046	30.00"	CCW	220 VAC	2	8	60	30.00"	32.12"	12.12"	698 LBS



PART NUM	BOWL DIA	ROTATION	VOLTAGE	# COILS	# SPRING BANKS	MECH HZ	DIM A	DIM B	DIM C	WT
73635	36.00"	CW	120 VAC	2	6	60	36.00"	38.12"	12.12"	934 LBS
73636	36.00"	CCW	120 VAC	2	6	60	36.00"	38.12"	12.12"	934 LBS
73637	36.00"	CW	220 VAC	2	6	60	36.00"	38.12"	12.12"	934 LBS
73638	36.00"	CCW	220 VAC	2	6	60	36.00"	38.12"	12.12"	934 LBS
73697	36.00"	CW	120 VAC	2	8	60	36.00"	38.12"	12.12"	998 LBS
73698	36.00"	CCW	120 VAC	2	8	60	36.00"	38.12"	12.12"	998 LBS
73643	36.00"	CW	220 VAC	2	8	60	36.00"	38.12"	12.12"	998 LBS
73644	36.00"	CCW	220 VAC	2	8	60	36.00"	38.12"	12.12"	998 LBS

**MOORFEED FLAT DISC
CENTRIFUGAL DRIVES**

**AVAILABLE IN SIZES FROM
12 INCH TO 24 INCH**


CW OR CCW ROTATION

DRIVE MOTOR OPTIONS:

PM DC

VFD

PNEUMATIC



PART NUM	DISC MATERIAL	DIM A	DIM B	DIM C	DIM D	WT
9960120	304 STAINLESS	8.75"	11.00"	9.34"	12.00"	71 LBS
9961800	304 STAINLESS	18.00"	18.00"	15.12"	18.00"	143 LBS
9962400	304 STAINLESS	18.00"	18.00"	15.12"	24.00"	178 LBS

**MOORFEED DUAL MOTION
CENTRIFUGAL DRIVES**

**AVAILABLE IN SIZES FROM
12 INCH TO 60 INCH**


CW OR CCW ROTATION

DRIVE MOTOR OPTIONS:

PM DC

VFD

PNEUMATIC



PART NUM	TUB MATERIAL	DIM A	DIM B	DIM C	DIM D	WT
61200	ALUMINUM	12.00"	12.00"	16.00"	12.00"	25.8 LBS
62660	URETHANE (70-D)	26.00"	26.00"	22.25"	26.00"	109.0 LBS
62660-WR	URETHANE (70-D)	26.00"	26.00"	22.25"	26.00"	109.0 LBS
63660	URETHANE (70-D)	26.00"	26.00"	23.25"	36.00"	138.0 LBS
63660-WR	URETHANE (70-D)	26.00"	26.00"	23.25"	36.00"	138.0 LBS
64800	URETHANE (70-D)	26.00"	26.00"	25.12"	48.00"	246.0 LBS
64800-WR	URETHANE (70-D)	26.00"	26.00"	25.12"	48.00"	246.0 LBS
66600	URETHANE (70-D)	42.25"	42.25"	34.50"	60.00"	1302.0 LBS
66600-WR	URETHANE (70-D)	42.25"	42.25"	34.50"	60.00"	1302.0 LBS
"WR" OPTION = TOP OF TUB FLANGE HAS A 11 GA. STAINLESS WEAR RING ATTACHED TO IT						





MOORFEED VIBRATORY STORAGE HOPPERS

**AVAILABLE IN SIZES FROM
.11 CU FT TO 12 CU FT**

120 VAC OR 220 VAC

OPTIONS AVAILABLE:


- **CRS (PAINTED)**
- **304 STAINLESS**
 - **GLASS BEAD OR POLISHED**
- **316 STAINLESS**
 - **GLASS BEAD OR POLISHED**
- **BOWL LEVEL SENSOR PACKAGE**
 - **PADDLE SWITCH STYLE**
 - **PHOTO OPTIC SENSOR STYLE**




MOORFEED HD PEDESTAL HOPPERS

**AVAILABLE IN SIZES FROM
10 CU FT TO 15 CU FT**

120 VAC OR 220 VAC






PART NUM	HOPPER CAPACITY	DIM A	DIM B		
77090	10 CU FT	32.14"	7.86"		
77091	11 CU FT	33.64"	9.36"		
77092	12 CU FT	35.14"	10.86"		
77093	13 CU FT	36.64"	12.36"		
77094	14 CU FT	38.14"	14.04"		
77095	15 CU FT	39.64"	15.54"		


MOORFEED VIBRATORY INLINES

**AVAILABLE IN LENGTHS FROM
2.85 INCH TO 50 INCH**


120 VAC OR 220 VAC




PART NUM	DRIVE BAR LENGTH	VOLTAGE	# COILS	# SPRING BANKS				
78402	2.85"	120 VAC	1	2				
78403	2.85"	220 VAC	1	2				



PART NUM	VOLTAGE	# COILS	# SPRING BANKS	DIM A	DIM B	DIM C	DIM D	DIM E
78171	120	1	2	6.25"	1.00"	5.25"	1.00"	7.25"
78191	220	1	2	6.25"	1.00"	5.25"	1.00"	7.25"
78172	120	1	3	10.25"	1.00"	5.25"	1.00"	11.25"
78192	220	1	3	10.25"	1.00"	5.25"	1.00"	11.25"
78173	120	1	4	14.25"	1.00"	5.25"	1.00"	15.25"
78193	220	1	4	14.25"	1.00"	5.25"	1.00"	15.25"
78174	120	1	5	18.25"	1.00"	5.25"	1.00"	19.25"
78194	220	1	5	18.25"	1.00"	5.25"	1.00"	19.25"
78175	120	1	6	22.25"	1.00"	5.25"	1.00"	23.25"
78195	220	1	6	22.25"	1.00"	5.25"	1.00"	23.25"
78141	120	1	2	14.00"	1.50"	9.75"	1.50"	14.00"
78181	220	1	2	14.00"	1.50"	9.75"	1.50"	14.00"
78142	120	1	3	23.00"	1.50"	9.75"	1.50"	23.00"
78182	220	1	3	23.00"	1.50"	9.75"	1.50"	23.00"
78143	120	1	4	32.00"	1.50"	9.75"	1.50"	32.00"
78183	220	1	4	32.00"	1.50"	9.75"	1.50"	32.00"
78144	120	1	5	41.00"	1.50"	9.75"	1.50"	41.00"
78184	220	1	5	41.00"	1.50"	9.75"	1.50"	41.00"
78145	120	1	6	50.00"	1.50"	9.75"	1.50"	50.00"
78185	220	1	6	50.00"	1.50"	9.75"	1.50"	50.00"



PART NUM	DRIVE BAR LENGTH	VOLTAGE	# COILS	# SPRING BANKS				
78801	4.08"	120 VAC	1	2				
78803	4.08"	220 VAC	1	2				



PART NUM	DRIVE BAR LENGTH	VOLTAGE	# COILS	# SPRING BANKS				
780004	16.00"	120 VAC	1	2				
780005	16.00"	220 VAC	1	2				

**MOORFEED ELEVATORS FOR
STRAIGHT FRONT
OR
LOW PROFILE STYLE HOPPERS**

**BELT GUIDES AND DISCHARGE
SNOUT AVAILABLE IN
PAINTED CRS**


**OR
304 STAINLESS STEEL
(GLASS BEAD OR POLISHED)**

DRIVE MOTOR OPTIONS:

PM DC

VFD

PNEUMATIC



PART NUM	DIM A	DIM B	DIM C			
79353	4 FT	39.00"	60.00"			
79355	5 FT	39.00"	60.00"			
79357	6 FT	39.00"	69.00"			
79359	7 FT	39.00"	69.00"			
79361	8 FT	39.00"	78.00"			
79363	9 FT	39.00"	78.00"			
79365	10 FT	39.00"	78.00"			
79367	11 FT	39.00"	88.00"			
79369	12 FT	39.00"	88.00"			
79371	13 FT	39.00"	88.00"			
79373	14 FT	39.00"	106.00"			
79375	15 FT	39.00"	106.00"			
79377	16 FT	39.00"	106.00"			

**MOORFEED ELEVATORS FOR
HD PEDESTAL STYLE HOPPERS**

**BELT GUIDES AND DISCHARGE
SNOUT AVAILABLE IN
PAINTED CRS**

OR


**304 STAINLESS STEEL
(GLASS BEAD OR POLISHED)**

DRIVE MOTOR OPTIONS:

PM DC

VFD

PNEUMATIC



PART NUM	DIM A	DIM B	DIM C			
79766	4 FT	39.00"	73.00"			
79768	5 FT	39.00"	73.00"			
79770	6 FT	39.00"	82.00"			
79772	7 FT	39.00"	82.00"			
79774	8 FT	39.00"	91.00"			
79776	9 FT	39.00"	91.00"			
79778	10 FT	39.00"	91.00"			
79780	11 FT	39.00"	101.00"			
79782	12 FT	39.00"	101.00"			
79784	13 FT	39.00"	101.00"			
79786	14 FT	39.00"	119.00"			
79788	15 FT	39.00"	119.00"			
79790	16 FT	39.00"	119.00"			

**MOORFEED DRAG THRU
ELEVATORS**

**HOPPER BIN CAPACITY FROM
5 CU FT TO 25 CU FT**

**HOPPER BIN, BELT GUIDES AND
DISCHARGE SNOUT AVAILABLE
IN PAINTED CRS**


**OR
304 STAINLESS STEEL
(GLASS BEAD OR POLISHED)**

DRIVE MOTOR OPTIONS:


PM DC

VFD


PNEUMATIC




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69100	5 CU FT	4 FT	54.50"	35.25"	36.00"	35.35 "
69102	5 CU FT	5 FT	54.50"	35.25"	36.00"	35.35 "
69104	5 CU FT	6 FT	63.63"	35.25"	36.00"	35.35 "
69106	5 CU FT	7 FT	63.63"	35.25"	36.00"	35.35 "
69108	5 CU FT	8 FT	72.00"	35.25"	36.00"	35.35 "
69110	5 CU FT	9 FT	72.00"	35.25"	36.00"	35.35 "
69112	5 CU FT	10 FT	72.00"	35.25"	36.00"	35.35 "
69114	5 CU FT	11 FT	82.00"	35.25"	36.00"	35.35 "
69116	5 CU FT	12 FT	82.00"	35.25"	36.00"	35.35 "
69118	5 CU FT	13 FT	82.00"	35.25"	36.00"	35.35 "
69120	5 CU FT	14 FT	100.00"	35.25"	36.00"	35.35 "
69122	5 CU FT	15 FT	100.00"	35.25"	36.00"	35.35 "
69124	5 CU FT	16 FT	100.00"	35.25"	36.00"	35.35 "




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69125	6 CU FT	4 FT	54.50"	36.12"	36.00"	36.85"
69127	6 CU FT	5 FT	54.50"	36.12"	36.00"	36.85"
69129	6 CU FT	6 FT	63.63"	36.12"	36.00"	36.85"
69131	6 CU FT	7 FT	63.63"	36.12"	36.00"	36.85"
69133	6 CU FT	8 FT	72.00"	36.12"	36.00"	36.85"
69135	6 CU FT	9 FT	72.00"	36.12"	36.00"	36.85"
69137	6 CU FT	10 FT	72.00"	36.12"	36.00"	36.85"
69139	6 CU FT	11 FT	82.00"	36.12"	36.00"	36.85"
69141	6 CU FT	12 FT	82.00"	36.12"	36.00"	36.85"
69143	6 CU FT	13 FT	82.00"	36.12"	36.00"	36.85"
69145	6 CU FT	14 FT	100.00"	36.12"	36.00"	36.85"
69147	6 CU FT	15 FT	100.00"	36.12"	36.00"	36.85"
69149	6 CU FT	16 FT	100.00"	36.12"	36.00"	36.85"




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69150	7 CU FT	4 FT	54.50"	36.98"	36.00"	38.35"
69152	7 CU FT	5 FT	54.50"	36.98"	36.00"	38.35"
69154	7 CU FT	6 FT	63.63"	36.98"	36.00"	38.35"
69156	7 CU FT	7 FT	63.63"	36.98"	36.00"	38.35"
69158	7 CU FT	8 FT	72.00"	36.98"	36.00"	38.35"
69160	7 CU FT	9 FT	72.00"	36.98"	36.00"	38.35"
69162	7 CU FT	10 FT	72.00"	36.98"	36.00"	38.35"
69164	7 CU FT	11 FT	82.00"	36.98"	36.00"	38.35"
69166	7 CU FT	12 FT	82.00"	36.98"	36.00"	38.35"
69168	7 CU FT	13 FT	82.00"	36.98"	36.00"	38.35"
69170	7 CU FT	14 FT	100.00"	36.98"	36.00"	38.35"
69172	7 CU FT	15 FT	100.00"	36.98"	36.00"	38.35"
69174	7 CU FT	16 FT	100.00"	36.98"	36.00"	38.35"




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69175	8 CU FT	4 FT	54.50"	37.85"	36.00"	39.85"
69177	8 CU FT	5 FT	54.50"	37.85"	36.00"	39.85"
69179	8 CU FT	6 FT	63.63"	37.85"	36.00"	39.85"
69181	8 CU FT	7 FT	63.63"	37.85"	36.00"	39.85"
69183	8 CU FT	8 FT	72.00"	37.85"	36.00"	39.85"
69185	8 CU FT	9 FT	72.00"	37.85"	36.00"	39.85"
69187	8 CU FT	10 FT	72.00"	37.85"	36.00"	39.85"
69189	8 CU FT	11 FT	82.00"	37.85"	36.00"	39.85"
69191	8 CU FT	12 FT	82.00"	37.85"	36.00"	39.85"
69193	8 CU FT	13 FT	82.00"	37.85"	36.00"	39.85"
69195	8 CU FT	14 FT	100.00"	37.85"	36.00"	39.85"
69197	8 CU FT	15 FT	100.00"	37.85"	36.00"	39.85"
69199	8 CU FT	16 FT	100.00"	37.85"	36.00"	39.85"




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69200	9 CU FT	4 FT	54.50"	38.71"	36.00"	41.35"
69202	9 CU FT	5 FT	54.50"	38.71"	36.00"	41.35"
69204	9 CU FT	6 FT	63.63"	38.71"	36.00"	41.35"
69206	9 CU FT	7 FT	63.63"	38.71"	36.00"	41.35"
69208	9 CU FT	8 FT	72.00"	38.71"	36.00"	41.35"
69210	9 CU FT	9 FT	72.00"	38.71"	36.00"	41.35"
69212	9 CU FT	10 FT	72.00"	38.71"	36.00"	41.35"
69214	9 CU FT	11 FT	82.00"	38.71"	36.00"	41.35"
69216	9 CU FT	12 FT	82.00"	38.71"	36.00"	41.35"
69218	9 CU FT	13 FT	82.00"	38.71"	36.00"	41.35"
69220	9 CU FT	14 FT	100.00"	38.71"	36.00"	41.35"
69222	9 CU FT	15 FT	100.00"	38.71"	36.00"	41.35"
69224	9 CU FT	16 FT	100.00"	38.71"	36.00"	41.35"




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69225	10 CU FT	4 FT	54.50"	39.52"	36.00"	42.85"
69227	10 CU FT	5 FT	54.50"	39.52"	36.00"	42.85"
69229	10 CU FT	6 FT	63.63"	39.52"	36.00"	42.85"
69231	10 CU FT	7 FT	63.63"	39.52"	36.00"	42.85"
69233	10 CU FT	8 FT	72.00"	39.52"	36.00"	42.85"
69235	10 CU FT	9 FT	72.00"	39.52"	36.00"	42.85"
69237	10 CU FT	10 FT	72.00"	39.52"	36.00"	42.85"
69239	10 CU FT	11 FT	82.00"	39.52"	36.00"	42.85"
69241	10 CU FT	12 FT	82.00"	39.52"	36.00"	42.85"
69243	10 CU FT	13 FT	82.00"	39.52"	36.00"	42.85"
69245	10 CU FT	14 FT	100.00"	39.52"	36.00"	42.85"
69247	10 CU FT	15 FT	100.00"	39.52"	36.00"	42.85"
69249	10 CU FT	16 FT	100.00"	39.52"	36.00"	42.85"




PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69250	12 CU FT	4 FT	54.50"	41.32"	36.00"	45.85"
69252	12 CU FT	5 FT	54.50"	41.32"	36.00"	45.85"
69254	12 CU FT	6 FT	63.63"	41.32"	36.00"	45.85"
69256	12 CU FT	7 FT	63.63"	41.32"	36.00"	45.85"
69258	12 CU FT	8 FT	72.00"	41.32"	36.00"	45.85"
69260	12 CU FT	9 FT	72.00"	41.32"	36.00"	45.85"
69262	12 CU FT	10 FT	72.00"	41.32"	36.00"	45.85"
69264	12 CU FT	11 FT	82.00"	41.32"	36.00"	45.85"
69266	12 CU FT	12 FT	82.00"	41.32"	36.00"	45.85"
69268	12 CU FT	13 FT	82.00"	41.32"	36.00"	45.85"
69270	12 CU FT	14 FT	100.00"	41.32"	36.00"	45.85"
69272	12 CU FT	15 FT	100.00"	41.32"	36.00"	45.85"
69274	12 CU FT	16 FT	100.00"	41.32"	36.00"	45.85"



PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
69275	15 CU FT	4 FT	54.50"	43.84"	36.00"	50.31"
69277	15 CU FT	5 FT	54.50"	43.84"	36.00"	50.31"
69279	15 CU FT	6 FT	63.63"	43.84"	36.00"	50.31"
69281	15 CU FT	7 FT	63.63"	43.84"	36.00"	50.31"
69283	15 CU FT	8 FT	72.00"	43.84"	36.00"	50.31"
69285	15 CU FT	9 FT	72.00"	43.84"	36.00"	50.31"
69287	15 CU FT	10 FT	72.00"	43.84"	36.00"	50.31"
69289	15 CU FT	11 FT	82.00"	43.84"	36.00"	50.31"
69291	15 CU FT	12 FT	82.00"	43.84"	36.00"	50.31"
69293	15 CU FT	13 FT	82.00"	43.84"	36.00"	50.31"
69295	15 CU FT	14 FT	100.00"	43.84"	36.00"	50.31"
69297	15 CU FT	15 FT	100.00"	43.84"	36.00"	50.31"
69299	15 CU FT	16 FT	100.00"	43.84"	36.00"	50.31"



PART NUM	HOPPER CAPACITY	DIM A	DIM B	DIM C	DIM D	DIM E
969275	25 CU FT	4 FT	54.50"	43.76"	52.00"	50.29"
969277	25 CU FT	5 FT	54.50"	43.76"	52.00"	50.29"
969279	25 CU FT	6 FT	63.63"	43.76"	52.00"	50.29"
969281	25 CU FT	7 FT	63.63"	43.76"	52.00"	50.29"
969283	25 CU FT	8 FT	72.00"	43.76"	52.00"	50.29"
969285	25 CU FT	9 FT	72.00"	43.76"	52.00"	50.29"
969287	25 CU FT	10 FT	72.00"	43.76"	52.00"	50.29"
969289	25 CU FT	11 FT	82.00"	43.76"	52.00"	50.29"
969291	25 CU FT	12 FT	82.00"	43.76"	52.00"	50.29"
969293	25 CU FT	13 FT	82.00"	43.76"	52.00"	50.29"
969295	25 CU FT	14 FT	100.00"	43.76"	52.00"	50.29"
969297	25 CU FT	15 FT	100.00"	43.76"	52.00"	50.29"
969299	25 CU FT	16 FT	100.00"	43.76"	52.00"	50.29"



MOORFEED SOUND ENCLOSURE

FEATURES:

- **QUALITY EXTRUDED ALUMINUM FRAME**
- **IMPACT RESISTANT PANELS**
- **1" OR 3" SOUND FOAM GLUED TO INSIDE OF PANELS**
- **ALL DOORS HAVE LIFT OFF HINGES**
- **ALL SIDE DOORS HAVE SLAM LATCHES**