

8.5"

STANDARD COMPONENTS SPARE PARTS LISTS

Click on the model number below that correspondes with your equipments model number.


Note the pictures shown are for visual representation only and do not accurately portray each component.

For pricing and availability contact our spare parts department at 317-545-7171 ext. 2104 or spares@moorfeed.com

BOWL DRIVE UNIT MODEL LIST 4.5" Drives 6" Drives 8" Drives 10" Drives 12" Drives 15" Drives <u>71506</u> 18" Drives 21" Drives 24" Drives 27" Drives 30" Drives 36" Drives **INLINE DRIVE MODEL LIST S-2** M-2 S-3 M-3 **S-4** M-4 **S-5** M-5 **S-6** M-6

16"





DRIVE UNIT MODEL#

70401

DRIVE UNIT SIZE: _	4.5"		
DRIVE UNIT VOLTAGE:	120 VOLTS	S AC	
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	83805	1 EACH
SPRING INFORMATION:			
	SIZE: PART #:	1/8" 70616	8 EACH
SPACER INFORMATION:	PART #:	81018	16 EACH
TOE CLAMP PART NUMBER:		70618	
MOUNTING FOOT PART NUMBER:	-	78812	2 EACH
CROSS ARM PART NUMBER:		70417	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16" (P/N 70646) AND 3/32" (P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70402

DRIVE UNIT SIZE:	4.5"		
DRIVE UNIT VOLTAGE:	120 VA	С	
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33805	1 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	2 EACH
	PART #:	70616	
SPACER INFORMATION:	PART #:	81018	4 EACH
TOE CLAMP PART NUMBER:	7	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	78812	AS NEEDED
CROSS ARM PART NUMBER:	7	70425	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646), AND 3/32"(P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70403

DRIVE UNIT SIZE:	4.5"		
DRIVE UNIT VOLTAGE:	220 VA	С	
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33705	1 EACH
SPRING INFORMATION:		4-9	
	SIZE: PART #:	1/8" 70616	2 EACH
SPACER INFORMATION:	PART #:	81018	4 EACH
TOE CLAMP PART NUMBER:	7	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	78812	AS NEEDED
CROSS ARM PART NUMBER:	7	70425	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32" (P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70404

DRIVE UNIT SIZE: _	4.5"	
DRIVE UNIT VOLTAGE:	220 VAC	
DRIVE FREQUENCY:	FULL WAVE	
NUMBER OF POSTS:	4	050014151050
DRIVE ROTATION:	CCW	RECOMMENDED QUANTITY
COIL PART NUMBER:	83705	1 EACH
SPRING INFORMATION:	CIZE. 4 /0"	2 5461
	SIZE: 1/8" PART #: 70616	2 EACH
SPACER INFORMATION:	PART #: 81018	4 EACH
TOE CLAMP PART NUMBER:	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	78812	AS NEEDED
CROSS ARM PART NUMBER:	70425	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32"(P/N 70616)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70603

DRIVE UNIT SIZE: _	6"		
DRIVE UNIT VOLTAGE:	120 VA	C	
DRIVE FREQUENCY:	FULL WA	NVE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:		83805	1 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	2 EACH
	PART #:	70616	
SPACER INFORMATION:	PART #:	81018	4 EACH
	17001 11.	01010	+ E/ICIT
TOE CLAMP PART NUMBER:		70618	AS NEEDED
MOUNTING FOOT PART NUMBER:		78812	AS NEEDED
CROSS ARM PART NUMBER:		70617	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32"(P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70604

DRIVE UNIT SIZE: _	6"		
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:	Full Way	ve	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33805	2 EACH
SPRING INFORMATION:	CIZE	4 (0)	0.54611
	SIZE: PART #:	1/8" 70616	8 EACH
SPACER INFORMATION:	PART #:	81018	16 EACH
TOE CLAMP PART NUMBER:	7	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	78812	AS NEEDED
CROSS ARM PART NUMBER:	7	70625	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32" (P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70605

DRIVE UNIT SIZE:	6"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	Full Wav	e	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	3705	
SPRING INFORMATION:			
	SIZE: PART #:	1/8" 70616	8 EACH
SPACER INFORMATION:		_	
3 ,7, 3 _1,111, 3 ,111, 3 ,111,3,11,3,1,3,	PART #:	81018	16 EACH
TOE CLAMP PART NUMBER: _	7	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	8812	AS NEEDED
CROSS ARM PART NUMBER:	7	0617	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32"(P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70606

DRIVE UNIT SIZE:	6"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	Full Wav	ve	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33705	2 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	8 EACH
	PART #:	70616	
SPACER INFORMATION:			
	PART #:	81018	16 EACH
TOE CLAMP PART NUMBER: _	7	70618	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	78812	AS NEEDED
CROSS ARM PART NUMBER:	7	70625	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRING FOR TUNING SUCH AS:

1/16"(P/N 70646) AND 3/32"(P/N 70647)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

70801

DRIVE UNIT SIZE:	8"		
DRIVE UNIT VOLTAGE:	120	<u> </u>	
DRIVE FREQUENCY:	Full Wa	ave	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	838	808, 83809	2 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	8 EACH
	PART #:	70616	
SPACER INFORMATION:			
	PART #:	70827, UPPER	16 EACH
	_	70822, LOWER	16 EACH
TOE CLAMP PART NUMBER:		70818	AS NEEDED
MOUNTING FOOT PART NUMBER:		78812	AS NEEDED
CROSS ARM PART NUMBER:		70817	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70815)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70802

DRIVE UNIT SIZE:	8"		
DRIVE UNIT VOLTAGE:	120 V	AC	
DRIVE FREQUENCY:	FULL W	AVE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW	<u> </u>	RECOMMENDED QUANTITY
COIL PART NUMBER:	838	08 & 83809	1 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	4 EACH
	PART #:	70816	
SPACER INFORMATION:			
SI / ICEN IIII GIIII / III	PART #:	70827, UPPER	4 EACH
		70822, LOWER	4 EACH
TOE CLAMP PART NUMBER:		70818	AS NEEDED
MOUNTING FOOT PART NUMBER:		78812	AS NEEDED
CROSS ARM PART NUMBER:		70825	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16"(P/N 70815)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





DRIVE UNIT MODEL#

70803

DRIVE UNIT SIZE:	8"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	Full Wa	ave	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	837	708, 83709	2 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	8 EACH
	PART #:	70616	
SPACER INFORMATION:			
31,76211111 31111171113111	PART #:	70827, UPPER	8 EACH
	_	70822, LOWER	8 EACH
TOE CLAMP PART NUMBER:		70818	AS NEEDED
MOUNTING FOOT PART NUMBER:		78812	AS NEEDED
CROSS ARM PART NUMBER:_		70817	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/16" (P/N 70815)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

70804

DRIVE UNIT SIZE:	8"		
DRIVE UNIT VOLTAGE:	220)	
DRIVE FREQUENCY:	Full W	ave	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCV	V	RECOMMENDED QUANTITY
COIL PART NUMBER:	83	708, 83709	2 EACH
SPRING INFORMATION:			
	SIZE:	1/8"	8EACH
	PART #:	70616	
SPACER INFORMATION:			
	PART #:	70827, UPPER	8 EACH
		70822, LOWER	8 EACH
TOE CLAMP PART NUMBER:		70818	AS NEEDED
MOUNTING FOOT PART NUMBER:		78812	AS NEEDED
CROSS ARM PART NUMBER:		70825	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1-16" (P/N 70815)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

AS NEEDED

DRIVE UNIT MODEL#

71003

DRIVE UNIT SIZE: 10"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW

COIL PART NUMBER: 83810 2 EACH

SPRING INFORMATION:

SIZE: 1/4" 8 EACH
PART #: 71045

SPACER INFORMATION:

TOE CLAMP PART NUMBER: 70818 AS NEEDED

CROSS ARM PART NUMBER: 71017

MOUNTING FOOT PART NUMBER: 71012


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16" (P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71004

DRIVE UNIT SIZE: 10"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83810 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71045 8 EACH

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH

70822. LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71025


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71005

DRIVE UNIT SIZE: 10"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83710 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71045 8 EACH

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH

> 70822. LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71017


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

2 EACH

8 EACH

DRIVE UNIT MODEL#

71006

DRIVE UNIT SIZE: 10"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW

COIL PART NUMBER: 83710

SPRING INFORMATION:

SIZE: 1/4"
PART #: 71045

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH 70822, LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71025


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71203

DRIVE UNIT SIZE: 12"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: _____ CW QUANTITY

COIL PART NUMBER: 83810 2 EACH

SPRING INFORMATION:

SIZE: 1/4" 8 EACH
PART #: 71045

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71217


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71204

DRIVE UNIT SIZE: 12"

DRIVE UNIT VOLTAGE: 120 VAC

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83810 1 EACH

SPRING INFORMATION:

SIZE: 5/16" 4 EACH

PART #: 71049

SIZE: 1/4" 4 EACH

PART #: 71045

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71225


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71205

DRIVE UNIT SIZE: 12"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83710 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71045 8 EACH

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH

> 70822. LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71217


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

71206

DRIVE UNIT SIZE: 12"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW

COIL PART NUMBER: 83710 2 EACH

SPRING INFORMATION:

SIZE: 1/4" 8 EACH
PART #: 71045

SPACER INFORMATION:

PART #: 70827, UPPER 8 EACH 70822, LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71225


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71048) AND 5/16"(P/N 71049)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



AS NEEDED

DRIVE UNIT MODEL#

71503

DRIVE UNIT SIZE:

MOUNTING FOOT PART NUMBER: 71012

CROSS ARM PART NUMBER: 71517

TOE

15"

_			
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:_	Full Wave		
NUMBER OF POSTS:	4	-	
DRIVE ROTATION:	CW	<u>.</u>	RECOMMENDED QUANTITY
COIL PART NUMBER:	83815		2 EACH
SPRING INFORMATION:			
	SIZE: 1/	/4"	8 EACH
	PART #: 71	545	
SPACER INFORMATION:			
	PART #: 71527,	UPPER	8 EACH
	71522,	LOWER	8 EACH
CLAMP PART NUMBER:_	70818		AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71548) AND 5/16"(P/N 71549)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

QUANTITY

2 EACH

8 EACH

8 EACH

8 EACH

AS NEEDED

AS NEEDED

DRIVE UNIT MODEL#

71504

DRIVE UNIT SIZE: 15"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW

COIL PART NUMBER: 83815

SPRING INFORMATION:

SIZE: 1/4" PART #: 71545

SPACER INFORMATION:

PART #: 71527, UPPER

71522. LOWER

TOE CLAMP PART NUMBER: 70818

MOUNTING FOOT PART NUMBER: 71012

CROSS ARM PART NUMBER: 71525


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71548) AND 5/16"(P/N 71549)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71505

DRIVE UNIT SIZE: 15"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83715 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71545 8 EACH

SPACER INFORMATION:

PART #: 71527, UPPER 8 EACH

71522. LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71517


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71548) AND 5/16"(P/N 71549)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71506

DRIVE UNIT SIZE: 15"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83715 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71545 8 EACH

SPACER INFORMATION:

PART #: 71527, UPPER 8 EACH

71522. LOWER 8 EACH

TOE CLAMP PART NUMBER: 70818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71517


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71548) AND 5/16"(P/N 71549)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

71803

DRIVE UNIT SIZE: 18"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83815 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 71845 8 EACH

SPACER INFORMATION:

PART #: 71822 16 EACH

TOE CLAMP PART NUMBER: 71818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71817


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16"(P/N 71848) AND 5/16"(P/N 71849)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

71804

DRIVE UNIT SIZE:	18"		
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:	Full Wav	ve	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83815		2 EACH
SPRING INFORMATION:			
	SIZE: PART #:	1/4" 71845	8 EACH
SPACER INFORMATION:	PART #:	71822	16 EACH
TOE CLAMP PART NUMBER: _	7	71818	AS NEEDED
MOUNTING FOOT PART NUMBER:	71012		AS NEEDED
CROSS ARM PART NUMBER:	7	71825	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16" (P/N 71848) & 5/16" (P/N 71849)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

71805

DRIVE UNIT SIZE: 18"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW

COIL PART NUMBER: 83715 2 EACH

SPRING INFORMATION:

SIZE: 1/4" 8 EACH
PART #: 71845

SPACER INFORMATION:

PART #: 71822 16 EACH

TOE CLAMP PART NUMBER: 71818 AS NEEDED

MOUNTING FOOT PART NUMBER: 71012 AS NEEDED

CROSS ARM PART NUMBER: 71817


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

3/16" (P/N 71848) AND 5/16" (P/N 71849)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

71806

DRIVE UNIT SIZE:	18"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	Full Wav	/e	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83715		2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	71845	
SPACER INFORMATION:			
	PART #:	71822	16 EACH
TOE CLAMP PART NUMBER:		71818	AS NEEDED
MOUNTING FOOT PART NUMBER:	71012		AS NEEDED
CROSS ARM PART NUMBER:	-	71825	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRING FOR TUNING SUCH AS:

3/16"(P/N 71848) AND 5/16"(P/N 71849)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

72127

DRIVE UNIT SIZE: 21"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: Full Wave

NUMBER OF POSTS: 4

DRIVE ROTATION: CW

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 1/4" 8 EACH
PART #: 73745

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72160


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRING FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72128

CROSS ARM PART NUMBER: 72161

DRIVE UNIT SIZE: 21" **DRIVE UNIT VOLTAGE:** 120 DRIVE FREQUENCY: Full Wave NUMBER OF POSTS: 4 **RECOMMENDED DRIVE ROTATION:** CCW QUANTITY COIL PART NUMBER: 83821 2 EACH **SPRING INFORMATION:** SIZE: 1/4" PART #: 73745 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 72112 AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72132

CROSS ARM PART NUMBER: 72160

DRIVE UNIT SIZE: _	21"			
DRIVE UNIT VOLTAGE:	220			
DRIVE FREQUENCY:	Full wa	ve		
NUMBER OF POSTS:	4			
DRIVE ROTATION:	CW			RECOMMENDED QUANTITY
COIL PART NUMBER:		83721		2 EACH
SPRING INFORMATION:				
	SIZE:	1/4"		8 EACH
	PART #:	73745	- -	
SPACER INFORMATION:				
	PART #:	73722		16 EACH
	_			
TOE CLAMP PART NUMBER:		73718		AS NEEDED
MOUNTING FOOT PART NUMBER:		72112	_	AS NEEDED
		_	_	_


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72134

DRIVE UNIT SIZE: 21" **DRIVE UNIT VOLTAGE:** 220

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72161


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72139

CROSS ARM PART NUMBER: 72162

DRIVE UNIT SIZE: _	21"		
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	6		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83821		2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	73745	
SPACER INFORMATION:			
JI ACEN IN ONNIATION.	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:	7	73718	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	⁷ 2112	AS NEEDED
_			


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72141

DRIVE UNIT SIZE: 21"

DRIVE UNIT VOLTAGE: 120 VAC

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 1 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 4 EACH

SPACER INFORMATION:

PART #: 73722 8 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72163


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



AS NEEDED

AS NEEDED

DRIVE UNIT MODEL#

72142

DRIVE UNIT SIZE: 21"

 DRIVE UNIT VOLTAGE:
 220

 DRIVE FREQUENCY:
 Full Wave

 NUMBER OF POSTS:
 6

 DRIVE ROTATION:
 CW

 COIL PART NUMBER:
 83721

 SPRING INFORMATION:
 SIZE:

 PART #:
 73745

 SPACER INFORMATION:

 PART #:
 73722

 16 EACH

ADDITIONAL DRIVE UNIT INFORMATION:

TOE CLAMP PART NUMBER: 73718

MOUNTING FOOT PART NUMBER: 72112


CROSS ARM PART NUMBER: 72162

MAY REQUIRE ADDITIONAL SPRING FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72143

DRIVE UNIT SIZE: 21"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72163


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 3/16"(P/N 73730) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72166

CROSS ARM PART NUMBER: 72160

DRIVE UNIT SIZE: 21" **DRIVE UNIT VOLTAGE:** 120 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 4 **RECOMMENDED** DRIVE ROTATION: CW QUANTITY COIL PART NUMBER: 83821 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 72112 AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72167

DRIVE UNIT SIZE: 21"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72161


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72168

DRIVE UNIT SIZE: 21" **DRIVE UNIT VOLTAGE:** 220 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 4 **RECOMMENDED** DRIVE ROTATION: CW QUANTITY COIL PART NUMBER: 83721 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 72112 AS NEEDED CROSS ARM PART NUMBER: 72160


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72169

DRIVE UNIT SIZE:

CROSS ARM PART NUMBER:

21"

DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	Half Wav	<u>/e</u>	
NUMBER OF POSTS:	4		2500144511252
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33721	2 EACH
SPRING INFORMATION:			
	SIZE:	3/16"	8 EACH
	PART #:	73730	
SPACER INFORMATION:			
	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:	7	73718	AS NEEDED
MOUNTING FOOT PART NUMBER:	-	72112	AS NEEDED
INICOINTING I COT PART NOWIDER.	,		AS NELDED

ADDITIONAL DRIVE UNIT INFORMATION:


72161

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72187

CROSS ARM PART NUMBER: 72162

DRIVE UNIT SIZE:			
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:	HALF W	AVE	
NUMBER OF POSTS:	6		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:		83821	2 EACH
SPRING INFORMATION:			
	SIZE:	3/16"	8 EACH
	PART #:	73730	
SPACER INFORMATION:			
	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:		73718	AS NEEDED
MOUNTING FOOT PART NUMBER:		72112	AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

1/6 (F/N 73710) AND 1/4 (F/N 73743) AND 3/6 (F/N 73730

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



AS NEEDED

AS NEEDED

DRIVE UNIT MODEL#

72188

DRIVE UNIT SIZE: 21"

 DRIVE UNIT VOLTAGE:
 120

 DRIVE FREQUENCY:
 HALF WAVE

 NUMBER OF POSTS:
 6

 DRIVE ROTATION:
 CCW

 COIL PART NUMBER:
 83821

 SPRING INFORMATION:
 SIZE:

 YART #:
 73730

 SPACER INFORMATION:
 PART #:

 PART #:
 73722

 16 EACH

ADDITIONAL DRIVE UNIT INFORMATION:

TOE CLAMP PART NUMBER: 73718

MOUNTING FOOT PART NUMBER: 72112


CROSS ARM PART NUMBER: 72163

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72190

CROSS ARM PART NUMBER: 72162

DRIVE UNIT SIZE: _	21"			
DRIVE UNIT VOLTAGE:	220			
DRIVE FREQUENCY:	Half Wa	nve		
NUMBER OF POSTS:	6			
DRIVE ROTATION:	CW			RECOMMENDED QUANTITY
COIL PART NUMBER:		83721		2 EACH
SPRING INFORMATION:				
	SIZE:	3/16"		8 EACH
	PART #:	73730	•	
SPACER INFORMATION:				
	PART #:	73722		16 EACH
			•	
TOE CLAMP PART NUMBER:		73718		AS NEEDED
MOUNTING FOOT PART NUMBER: _		72112		AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



DRIVE UNIT MODEL#

72195

DRIVE UNIT SIZE: 21"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW

COIL PART NUMBER: 83721

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730

SPACER INFORMATION:

PART #: 73722

16 EACH

TOE CLAMP PART NUMBER: 73718

AS NEEDED

RECOMMENDED

QUANTITY

2 EACH

8 EACH

MOUNTING FOOT PART NUMBER: 72112

AS NEEDED

CROSS ARM PART NUMBER: 72163


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716) AND 1/4"(P/N 73745) AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

QUANTITY

AS NEEDED

DRIVE UNIT MODEL#

72413

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CW

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718

MOUNTING FOOT PART NUMBER: 72212 AS NEEDED


CROSS ARM PART NUMBER: 72460

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72414

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED


CROSS ARM PART NUMBER: 72461

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



DRIVE UNIT MODEL#

72415

CROSS ARM PART NUMBER: 72460

24"

DRIVE UNIT SIZE:


_			
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83721		2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	73745	
SPACER INFORMATION:			
	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:	-	73718	AS NEEDED
MOUNTING FOOT PART NUMBER:		72112	AS NEEDED

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



16 EACH

DRIVE UNIT MODEL#

72416

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	FULL WA\	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	ccw		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	3721	2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	73745	
SPACER INFORMATION:			

TOE CLAMP PART NUMBER: 73718

3718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72461


ADDITIONAL DRIVE UNIT INFORMATION:

PART #: 73722____

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72427

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72460


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AMD 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

2 EACH

8 EACH

16 EACH

AS NEEDED

AS NEEDED

DRIVE UNIT MODEL#

72428

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CCW

COIL PART NUMBER: 83821

83821

SI7F· 3/16"

SIZE: 3/16" PART #: 73730

SPACER INFORMATION:

SPRING INFORMATION:

PART #: 73722

TOE CLAMP PART NUMBER: 73718

MOUNTING FOOT PART NUMBER: 72112

CROSS ARM PART NUMBER: 72461

·


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72429

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 4

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72460


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72430

DRIVE UNIT SIZE:	24"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	HALF WA	VE	
NUMBER OF POSTS:	4		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83721		2 EACH
SPRING INFORMATION:			
	SIZE: PART #:	3/16" 73730	8 EACH
SPACER INFORMATION:	PART #:	73722	16 EACH
	PANI #	73722	10 EACH
TOE CLAMP PART NUMBER:	7	73718	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	72112	AS NEEDED
CROSS ARM PART NUMBER:	7	72461	


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72439

CROSS ARM PART NUMBER: 72462


DRIVE UNIT SIZE: _			
DRIVE UNIT VOLTAGE:	120		
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	6		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	3821	2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	73745	
SPACER INFORMATION:			
	PART #:	73722	16 EACH
		_	
TOE CLAMP PART NUMBER: _	7	3718	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	2112	AS NEEDED

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



AS NEEDED

DRIVE UNIT MODEL#

72440

DRIVE UNIT SIZE: 24"

MOUNTING FOOT PART NUMBER: 72112

CROSS ARM PART NUMBER: 72463

DRIVE UNIT VOLTAGE: 120 **DRIVE FREQUENCY:** FULL WAVE NUMBER OF POSTS: 6 **RECOMMENDED DRIVE ROTATION:** CCW QUANTITY COIL PART NUMBER: 83821 2 EACH **SPRING INFORMATION:** SIZE: 1/4" PART #: 73745 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 3/16"(P/N 73730), 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



DRIVE UNIT MODEL#

72441

CROSS ARM PART NUMBER:

DRIVE UNIT SIZE:	24"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	FULL WA	NVE	
NUMBER OF POSTS:	6		
DRIVE ROTATION:	CW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83721		2 EACH
SPRING INFORMATION:			
	SIZE:	1/4"	8 EACH
	PART #:	73745	
SPACER INFORMATION:			
SI NEEK IIII OILIIN KIIOILI	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:		73718	AS NEEDED
MOUNTING FOOT PART NUMBER:		72112	AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

72462

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

72442


DRIVE UNIT SIZE:	24"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	FULL WA	VE	
NUMBER OF POSTS:	6		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	83721		2 EACH
SPRING INFORMATION:			
	SIZE: PART #:	1/4" 73745	8 EACH
SPACER INFORMATION:	PART #:	73722	16 EACH
	_		
TOE CLAMP PART NUMBER: _	7	73718	AS NEEDED
MOUNTING FOOT PART NUMBER:	7	72112	AS NEEDED
CROSS ARM PART NUMBER:	7	72463	

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 79716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

AS NEEDED

DRIVE UNIT MODEL#

72447

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: FULL WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 1/4" PART #: 73745 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

CROSS ARM PART NUMBER: 72462


MOUNTING FOOT PART NUMBER: 72112

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



DRIVE UNIT MODEL#

72448

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

RECOMMENDED DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72463


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

8 EACH

DRIVE UNIT MODEL#

72449

DRIVE UNIT VOLTAGE: 24"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER:73718AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED


CROSS ARM PART NUMBER: 72462

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 1/4"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72450

DRIVE UNIT SIZE: 24"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 72112 AS NEEDED

CROSS ARM PART NUMBER: 72463


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72735

DRIVE UNIT SIZE: 27"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 72759 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 72762


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

AS NEEDED

DRIVE UNIT MODEL#

72736

DRIVE UNIT SIZE: 27"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 72759 AS NEEDED

CROSS ARM PART NUMBER: 72763

MOUNTING FOOT PART NUMBER: 89261


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72737

DRIVE UNIT SIZE: 27"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 72759 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 72762


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

72738

DRIVE UNIT SIZE: 27'

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 72759 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 72763


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73035

DRIVE UNIT SIZE: 30"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW

COIL PART NUMBER: 83821

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730

SPACER INFORMATION:

PART #: 73722

73722

TOE CLAMP PART NUMBER: 73718

MOUNTING FOOT PART NUMBER: 89261

CROSS ARM PART NUMBER: 73062

3722 16 EACH

AS NEEDED

RECOMMENDED

QUANTITY

2 EACH

8 EACH

AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73036

CROSS ARM PART NUMBER: 73063

DRIVE UNIT SIZE: 30" **DRIVE UNIT VOLTAGE:** 120 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 6 **RECOMMENDED DRIVE ROTATION:** CCW QUANTITY COIL PART NUMBER: 83821 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 89261 AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73037

CROSS ARM PART NUMBER: 73062

DRIVE UNIT SIZE: 30" **DRIVE UNIT VOLTAGE:** 220 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 6 **RECOMMENDED** DRIVE ROTATION: CW QUANTITY COIL PART NUMBER: 83721 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 89261 AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73038

DRIVE UNIT SIZE: 30" **DRIVE UNIT VOLTAGE:** 220 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 6 **RECOMMENDED DRIVE ROTATION:** CCW QUANTITY COIL PART NUMBER: 83721 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED MOUNTING FOOT PART NUMBER: 89261 AS NEEDED CROSS ARM PART NUMBER: 73063


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

PHONE: (317) 545-7171 FAX: (317) 542-7317 EMAIL: SPARES@MOORFEED.COM

A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

73043

DRIVE UNIT SIZE: 30"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 8

DRIVE ROTATION: CW

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 73066


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



AS NEEDED

DRIVE UNIT MODEL#

73044

DRIVE UNIT SIZE: 30"

MOUNTING FOOT PART NUMBER: 89261

CROSS ARM PART NUMBER: 73067


DRIVE UNIT VOLTAGE: 120 **DRIVE FREQUENCY:** HALF WAVE NUMBER OF POSTS: 8 **RECOMMENDED DRIVE ROTATION:** CCW QUANTITY COIL PART NUMBER: 83821 2 EACH **SPRING INFORMATION:** SIZE: 3/16" PART #: 73730 8 EACH SPACER INFORMATION: PART #: 73722 16 EACH TOE CLAMP PART NUMBER: 73718 AS NEEDED

ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

73045

DRIVE UNIT SIZE: 30"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 8

DRIVE ROTATION: CW

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73718 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 73066


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#


73046

DRIVE UNIT SIZE:	30"		
DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	HALF WAVE	<u>:</u>	
NUMBER OF POSTS:	8		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	837	721	2 EACH
SPRING INFORMATION:			
	SIZE:	3/16"	8 EACH
	PART #:	73730	·
SPACER INFORMATION:	PART#:	73722	16 EACH
TOE CLAMP PART NUMBER:	737	718	AS NEEDED
MOUNTING FOOT PART NUMBER:	892	261	AS NEEDED
CROSS ARM PART NUMBER:_	730	067	

ADDITIONAL DRIVE UNIT INFORMATION:

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

73635

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" 8 EACH
PART #: 73730

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73618

AS NEEDED

MOUNTING FOOT PART NUMBER: 89261

AS NEEDED

CROSS ARM PART NUMBER: 73662


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

73636

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73618

AS NEEDED

MOUNTING FOOT PART NUMBER: 89261

AS NEEDED

CROSS ARM PART NUMBER: 73663


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

DRIVE UNIT MODEL#

73637

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 6

DRIVE ROTATION: CW

 COIL PART NUMBER:
 83721
 2 EACH

SPRING INFORMATION:

SIZE: 3/16" 8 EACH
PART #: 73730

SPACER INFORMATION:

PART #: ______ 16 EACH

TOE CLAMP PART NUMBER: 73618 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 73662


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

73638

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: Half Wave

NUMBER OF POSTS: 6

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83721 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73618 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 73663


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



RECOMMENDED

QUANTITY

2 EACH

8 EACH

16 EACH

AS NEEDED

AS NEEDED

DRIVE UNIT MODEL#

73643

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 220

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 8

DRIVE ROTATION: CW

COIL PART NUMBER: 83721

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730

SPACER INFORMATION:

PART #: 73722

TOE CLAMP PART NUMBER: 73618

MOUNTING FOOT PART NUMBER: 89261

CROSS ARM PART NUMBER: 73664


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73644

DRIVE UNIT SIZE:

CROSS ARM PART NUMBER:

36"

DRIVE UNIT VOLTAGE:	220		
DRIVE FREQUENCY:	HALF WA	VE	
NUMBER OF POSTS:	8		
DRIVE ROTATION:	CCW		RECOMMENDED QUANTITY
COIL PART NUMBER:	8	33721	2 EACH
SPRING INFORMATION:			
	SIZE:	3/16"	8 EACH
	PART #:	73730	
SPACER INFORMATION:			
	PART #:	73722	16 EACH
TOE CLAMP PART NUMBER:		73618	AS NEEDED
MOUNTING FOOT PART NUMBER:	8	39261	AS NEEDED

ADDITIONAL DRIVE UNIT INFORMATION:


73665

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

Moorfeed A Division of EAS



DRIVE UNIT MODEL#

73697

CROSS ARM PART NUMBER:

DRIVE UNIT SIZE:	36"			
DRIVE UNIT VOLTAGE:	120			
DRIVE FREQUENCY:	HALF WA	AVE		
NUMBER OF POSTS:	8			
DRIVE ROTATION:	CW			RECOMMENDED QUANTITY
COIL PART NUMBER:		83821		2 EACH
SPRING INFORMATION:				
	SIZE:	3/16"	<u> </u>	8 EACH
	PART #:	73730	_	
SPACER INFORMATION:	PART#:	73722		16 EACH
		73722	_	10 2/(6/1
TOE CLAMP PART NUMBER:		73618		AS NEEDED
MOUNTING FOOT PART NUMBER:		89261		AS NEEDED


ADDITIONAL DRIVE UNIT INFORMATION:

73664

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS: 1/8"(P/N 73716), 1/4"(P/N 73745), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.

A Division of EAS



RECOMMENDED

DRIVE UNIT MODEL#

73698

DRIVE UNIT SIZE: 36"

DRIVE UNIT VOLTAGE: 120

DRIVE FREQUENCY: HALF WAVE

NUMBER OF POSTS: 8

DRIVE ROTATION: CCW QUANTITY

COIL PART NUMBER: 83821 2 EACH

SPRING INFORMATION:

SIZE: 3/16" PART #: 73730 8 EACH

SPACER INFORMATION:

PART #: 73722 16 EACH

TOE CLAMP PART NUMBER: 73618 AS NEEDED

MOUNTING FOOT PART NUMBER: 89261 AS NEEDED

CROSS ARM PART NUMBER: 73665


ADDITIONAL DRIVE UNIT INFORMATION:

MAY REQUIRE ADDITIONAL SPRINGS FOR TUNING SUCH AS:

1/4"(P/N 73716), 3/16"(P/N 73730), AND 3/8"(P/N 73750)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78141

INLINE UNIT SIZE:	S-2	<u>!</u>	
UNIT VOLTAGE:	120 V	'AC	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83820	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:			
	PART #: _	78108	4 EACH
	_		
MOUNTING FOOT PART NUMBER:		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78142

INLINE UNIT SIZE:	S-3		
UNIT VOLTAGE:	120		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83820	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	_
SPACER INFORMATION:			
	PART #:	78108	4 EACH
MOUNTING FOOT PART NUMBER:		N/A	_


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78143

INLINE UNIT SIZE:	S-4	<u> </u>	
UNIT VOLTAGE:	120)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83820	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:			
	PART #: _	78108	4 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78144

INLINE UNIT SIZE:	S-5		
UNIT VOLTAGE: _	120	<u> </u>	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83820	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	-
SPACER INFORMATION:			
	PART #:	78108	4 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78145

INLINE UNIT SIZE:	S-6		
UNIT VOLTAGE:	120		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83820	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:			
	PART #:	78108	1 EACH
MOUNTING FOOT PART NUMBER:		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78181

INLINE UNIT SIZE:	S-2		
UNIT VOLTAGE:	220		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83720	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	-
	SIZE:	1/8"	1 EACH
	PART #:	78107	-
SPACER INFORMATION:			
	PART #:	78108	4 EACH
MOUNTING FOOT PART NUMBER:		N/A	_


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78182

INLINE UNIT SIZE:	S-3		
UNIT VOLTAGE:	220	<u> </u>	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83720	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:	PART #:	78108	4 EACH
	PANI#	76106	4 EACH
	_		-
MOUNTING FOOT PART NUMBER:		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78183

INLINE UNIT SIZE:	S-4	<u> </u>	
UNIT VOLTAGE: _	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83720	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:			
	PART #:	78108	4 EACH
MOUNTING FOOT PART NUMBER: _		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES:2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78184

INLINE UNIT SIZE:	S-5		
UNIT VOLTAGE: _	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83720	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	-
SPACER INFORMATION:			
	PART #:	78108	4 EACH
	_		
MOUNTING FOOT PART NUMBER:		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACER(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78185

INLINE UNIT SIZE:	S-6		
UNIT VOLTAGE:	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83720	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	1 EACH
	PART #:	78106	
	SIZE:	1/8"	1 EACH
	PART #:	78107	
SPACER INFORMATION:			
	PART #:	78108	4 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	


ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING KIT: PART # 78098

INCLUDES: 2-3/32" SPRING(P/N 78106), 2-1/8" SPRING(P/N 78107), 6-SPRING SPACERS(P/N 78108)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78171

INLINE UNIT SIZE:	M-2	2	
UNIT VOLTAGE:	120 V	AC	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83823	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	2 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:	78118	8 EACH
MOUNTING FOOT PART NUMBER:	_	N/A	

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES (P/N 78116), 2-1/16"SPRING M-SERIES (P/N 78117),

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78172

INLINE UNIT SIZE:	M-3 SM I	NLINE	
UNIT VOLTAGE: _	120)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83823	1 EACH
SPRING INFORMATION:	SIZE:	3/32" M-SERIES	2 EACH
	_		Z EACH
	PART #: SIZE: PART #:	78116 1/16" M-SERIES 78117	3 EACH
SPACER INFORMATION:	PART #:_	78118	10 EACH
MOUNTING FOOT PART NUMBER:	_	N/A	

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES(P/N 78117)

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78173

INLINE UNIT SIZE:	M-4 SM I	NLINE	
UNIT VOLTAGE:	120)	RECOMMENDED QUANTITIES
COIL PART NUMBER: _		83823	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	4 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:	78118	12 EACH
		_	
MOUNTING FOOT PART NUMBER: _		N/A	

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES(P/N 78117),

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78174

INLINE UNIT SIZE:	M-5 SM I	NLINE	
UNIT VOLTAGE:	120)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83823	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32" M-SERIES	2 EACH
	PART #:	78116	
	SIZE:	1/19" M-SERIES	5 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #: _	78118	14 EACH
MOUNTING FOOT PART NUMBER:	_	N/A	
-			

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M SERIES(P/N 78117)

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78175

INLINE UNIT SIZE:	M-6 SM I	NLINE		
UNIT VOLTAGE:	120)		MENDED NTITIES
COIL PART NUMBER:		83823	1 E	ACH
SPRING INFORMATION:				
	SIZE:	3/32" M-SERIES	2 E	ACH
	PART #:	78116		_
	SIZE:	1/16" M-SERIES	6 E	ACH
	PART #:	78117		
SPACER INFORMATION:				
	PART #:	78118	16	EACH
	_			
MOUNTING FOOT PART NUMBER: _		N/A		

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16 SPRING M-SERIES(P/N 78117)

6-SPRING SPACER(78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78191

INLINE UNIT SIZE:	M-2	2	
UNIT VOLTAGE:	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER: _		83723	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	2 EACH
	PART #:	78117	<u> </u>
SPACER INFORMATION:			
	PART #: _	78118	4 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	<u> </u>

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES(P/N 78117),

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78192

INLINE UNIT SIZE:	M-3	3	
UNIT VOLTAGE:	220		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83723	1 EACH
SPRING INFORMATION:		- 4	
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	3 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:	78118	10 EACH
	_		_
MOUNTING FOOT PART NUMBER:		N/A	_

ADDITIONAL DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78816), 2-1/16" SPRING M-SERIES (P/N 78117),

6-SPRING SPACER(78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78193

INLINE UNIT SIZE:	M-4	1	
UNIT VOLTAGE:	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83723	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	4 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:_	78118	12 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	

ADDITIONAL INLINE DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES(P/N 78117)

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78194

INLINE UNIT SIZE:	M-5	5	
UNIT VOLTAGE:	220)	RECOMMENDED QUANTITIES
COIL PART NUMBER: _		83723	1 EACH
SPRING INFORMATION:			
	SIZE:	3/32"	2 EACH
	PART #:	78116	
	SIZE:	1/16"	5 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:	78118	14 EACH
	_		
MOUNTING FOOT PART NUMBER: _		N/A	

ADDITIONAL DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES(P/N 78117)

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.





INLINE MODEL#

78195

INLINE UNIT SIZE:	M-6		
UNIT VOLTAGE:	220		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83723	1 EACH
SPRING INFORMATION:	SIZE:	3/32"	2 EACH
		· ·	Z EACH
	PART #:	78116	
	SIZE:	1/16"	6 EACH
	PART #:	78117	
SPACER INFORMATION:			
	PART #:	78118	16 EACH
MOUNTING FOOT PART NUMBER:		N/A	

ADDITIONAL DRIVE UNIT INFORMATION:


M-SERIES TUNING KIT: PART # 78097

INCLUDES: 2-3/32" SPRING M-SERIES(P/N 78116), 2-1/16" SPRING M-SERIES (P/N 78117)

6-SPRING SPACER(P/N 78118)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.






INLINE MODEL#

78801

INLINE UNIT SIZE:	8.5 INLINE 120		RECOMMENDED QUANTITIES
COIL PART NUMBER:	83818		1 EACH
SPRING INFORMATION:			
	SIZE:	1/16" SPRING	2 EACH
	PART #:	78815	
SPACER INFORMATION:			
	PART #:	78819	4 EACH
DUNTING FOOT PART NUMBER:		N/A	
		DRIVE UNIT INFORMATIONSE OF 1/32" SPRING(P/N 3	





INLINE MODEL#

78803


INLINE UNIT SIZE:	8.5 INI	<u>INE</u>		
UNIT VOLTAGE:	220 V	OLT		RECOMMENDED QUANTITIES
COIL PART NUMBER:		83718		1 EACH
SPRING INFORMATION:				
	SIZE:	1/16"		2 EACH
	PART #:	78815	_	
SPACER INFORMATION:				
	PART #: _	78819		4 EACH
MOUNTING FOOT PART NUMBER:		N/A		

ADDITIONAL INLINE DRIVE UNIT INFORMATION:

TUNING MAY REQUIRE USE OF 1/32" SPRING(P/N 78816)

CONTACT MOORFEED FOR PRICING AND AVAILABILITY.






INLINE MODEL #

	π		
78000	4		
INLINE UNIT SIZE:			RECOMMENDED QUANTITIES
COIL PART NUMBER:			1 EACH
SPRING INFORMATION:	SIZE: PART #:	1/16" THICK 78015	4 EACH
SPACER INFORMATION:	PART #:	78019	8 EACH
OUNTING FOOT PART NUMBER: _		N/A	
		DRIVE UNIT INFORMATION USE OF 1/32 SPRING(P/N 78	
		OR PRICING AND AVAILABI	





INLINE MODEL#

78000!	5		
INLINE UNIT SIZE: _1	L6" RUBBEF	R MOUNT	
UNIT VOLTAGE: _	220	0	RECOMMENDED QUANTITIES
COIL PART NUMBER:		83723	1 EACH
SPRING INFORMATION:			
	SIZE: _ PART #: _	1/16" THICK 78015	4 EACH
SPACER INFORMATION:	PART #: _	78019	8 EACH
MOUNTING FOOT PART NUMBER: _		N/A	
		IVE UNIT INFORMATION: USE OF 1/32" SPRING(P/N	78016)
CONTACT M PHONE: (317) 545-7171		FOR PRICING AND AVAILAB	